

Author Index

- Adler, L., see Huether, G. (68) 175
- Aizawa, T., Maruyama, K., Kondo, H. and Yoshikawa, K.
Expression of necdin, an embryonal carcinoma-derived nuclear protein, in developing mouse brain (68) 265
- Albus, K. and Lübke, J.
Widespread lateral processes of glial cells in the immature striate cortex of the cat (68) 278
- Andersen, S.L., Gazzara, R.A., Robinson, S.R. and Smotherman, W.P.
Effect of milk on dopamine release in the newborn rat: an in vivo microdialysis study (68) 286
- Barakat-Walter, I., see Riederer, B.M. (68) 111
- Bardgett, M.E., Taylor, G.T. and Farah Jr, J.M.
Systemic NMDA treatment increases plasma ACTH in the neonatal female and male rat (68) 289
- Barr, G.A., see Capuano, C.A. (68) 67
- Beal, M.F., Swartz, K.J. and Isacson, O.
Developmental changes in brain kynurenic acid concentrations (68) 136
- Beasley, L., see Prince, J.T. (68) 193
- Boilly, B., see Hondermarck, H. (68) 247
- Calés, J.M., see Valencia, A. (68) 132
- Capuano, C.A., Leibowitz, S.F. and Barr, G.A.
The pharmacology of the paraventricular α_2 -noradrenergic receptor system mediating norepinephrine-induced feeding in the rat (68) 67
- Carlson, C.G.
Early postnatal changes in presynaptic potassium sensitivity (68) 183
- Chronopoulos, A., see Thurber, S. (68) 35
- Clark, P., Jones, K.J. and LaVelle, A.
Alterations in nuclear envelope invaginations in axotomized fetal and early postnatal hamster facial motoneurons (68) 1
- Collado, P., see Valencia, A. (68) 132
- Crespo, D., see González-Martín, C. (68) 83
- De Diego, I., see González-Martín, C. (68) 83
- Deudon, E., see Hondermarck, H. (68) 247
- Duchemin, A.-M., see Quach, T.T. (68) 97
- Fairén, A., see González-Martín, C. (68) 83
- Farah Jr, J.M., see Bardgett, M.E. (68) 289
- Garant, D.S., see Xu, S.G. (68) 275
- Gazzara, R.A., see Andersen, S.L. (68) 286
- Go, M.J., Yoshihara, M. and Hotta, Y.
Monoclonal antibodies which stain small subsets of neurons in the *Drosophila* central nervous system (68) 282
- Goldman, S.A. and Nedergaard, M.
Newly generated neurons of the adult songbird brain become functionally active in long-term culture (68) 217
- González-Martín, C., De Diego, I., Crespo, D. and Fairén, A.
Transient *c-fos* expression accompanies naturally occurring cell death in the developing interhemispheric cortex of the rat (68) 83
- Grant, S.G.N., see Martin, K.A. (68) 75
- Guillamón, A., see Valencia, A. (68) 132
- Haas, K.Z., Sperber, E.F. and Moshé, S.L.
Kindling in developing animals: interactions between ipsilateral foci (68) 140
- Healy, P.A., see Prince, J.T. (68) 193
- Hockfield, S., see Martin, K.A. (68) 75
- Holmes, G.L., see Thurber, S. (68) 35
- Hondermarck, H., Deudon, E. and Boilly, B.
Embryonic brain-derived heparan sulfate inhibits cellular membrane binding and biological activity of basic fibroblast growth factor (68) 247
- Hotta, Y., see Go, M.J. (68) 282
- Huether, G., Thömke, F. and Adler, L.
Administration of tryptophan-enriched diets to pregnant rats retards the development of the serotonergic system in their offspring (68) 175
- Isacson, O., see Beal, M.F. (68) 136
- Jones, K.J., see Clark, P. (68) 1
- Kaneko, Y., see Negishi, K. (68) 255
- Katay, L., see Vathy, I. (68) 125
- Kent, C. and Rowe, H.L.
The immunolocalisation of ubiquitin carboxyl-terminal hydrolase (PGP9.5) in developing paraneurons in the rat (68) 241
- Klein, D.C., see Weller, J.L. (68) 144
- Kondo, H., see Aizawa, T. (68) 265
- Kordower, J.H., Picinski, P. and Rakic, P.
Neurogenesis of the amygdaloid nuclear complex in the Rhesus monkey (68) 9
- Kott, J.N., see Sasahara, A. (68) 41
- Lanier, R.A., see Shaw, C. (68) 225
- Lappi, S.E., see Slotkin, T.A. (68) 233
- LaVelle, A., see Clark, P. (68) 1
- Leibowitz, S.F., see Capuano, C.A. (68) 67
- Lichtensteiger, W., see Naeff, B. (68) 163
- Lübke, J., see Albus, K. (68) 278
- Martin, G.F., see Wang, X.M. (68) 203
- Martin, K.A., Grant, S.G.N. and Hockfield, S.
The *mas* proto-oncogene is developmentally regulated in the rat central nervous system (68) 75
- Maruyama, K., see Aizawa, T. (68) 265
- McCook, E.C., see Slotkin, T.A. (68) 233
- Moshé, S.L., see Haas, K.Z. (68) 140
- Moshé, S.L., see Xu, S.G. (68) 275
- Müller, H.W., see Stichel, C.C. (68) 149
- Naeff, B., Schlumpf, M. and Lichtensteiger, W.
Pre- and postnatal development of high-affinity [3 H]nicotine binding sites in rat brain regions: an autoradiographic study (68) 163
- Nedergaard, M., see Goldman, S.A. (68) 217
- Negishi, K., Shinagawa, S., Ushijima, M., Kaneko, Y. and Saito, T.
An immunohistochemical study of regenerating newt retinas (68) 255
- Nishiyama, A., see Prince, J.T. (68) 193
- Oliver, A.P., see Quach, T.T. (68) 97
- Pérez Laso, C., see Valencia, A. (68) 132
- Picinski, P., see Kordower, J.H. (68) 9
- Plenderleith, M.B., Wright, L.L. and Snow, P.J.
Expression of lectin binding in the superficial dorsal horn of the rat spinal cord during pre- and postnatal development (68) 103
- Prince, J.T., Nishiyama, A., Healy, P.A., Beasley, L. and Stallcup, W.B.
Expression of the F84.1 glycoprotein in the spinal cord and cranial nerves of the developing rat (68) 193
- Qin, Y.Q., see Wang, X.M. (68) 203
- Quach, T.T., Duchemin, A.-M., Oliver, A.P., Schrier, B.K. and Wyatt, R.J.
Hydra head activator peptide has trophic activity for eukaryotic neurons (68) 97
- Raines, E.W., see Sasahara, A. (68) 41
- Rakic, P., see Kordower, J.H. (68) 9
- Riederer, B.M. and Barakat-Walter, I.
Differential distribution of two microtubule-associated proteins, MAP2 and MAP5, during chick dorsal root ganglion development in situ and in culture (68) 111
- Robinson, S.R., see Andersen, S.L. (68) 286
- Rodríguez Zafra, M., see Valencia, A. (68) 132
- Ross, R., see Sasahara, A. (68) 41
- Rowe, H.L., see Kent, C. (68) 241
- Saito, T., see Negishi, K. (68) 255
- Sasahara, A., Kott, J.N., Sasahara, M., Raines, E.W., Ross, R. and Westrum, L.E.
Platelet-derived growth factor B-chain-like immunoreactivity in the developing and adult rat brain (68) 41
- Sasahara, M., see Sasahara, A. (68) 41
- Schlumpf, M., see Naeff, B. (68) 163
- Schrier, B.K., see Quach, T.T. (68) 97

Author Index

- Adler, L., see Huether, G. (68) 175
- Aizawa, T., Maruyama, K., Kondo, H. and Yoshikawa, K.
Expression of neocdin, an embryonal carcinoma-derived nuclear protein, in developing mouse brain (68) 265
- Albus, K. and Lübke, J.
Widespread lateral processes of glial cells in the immature striate cortex of the cat (68) 278
- Andersen, S.L., Gazzara, R.A., Robinson, S.R. and Smotherman, W.P.
Effect of milk on dopamine release in the newborn rat: an in vivo microdialysis study (68) 286
- Barakat-Walter, I., see Riederer, B.M. (68) 111
- Bardgett, M.E., Taylor, G.T. and Farah Jr, J.M.
Systemic NMDA treatment increases plasma ACTH in the neonatal female and male rat (68) 289
- Barr, G.A., see Capuano, C.A. (68) 67
- Beal, M.F., Swartz, K.J. and Isacson, O.
Developmental changes in brain kynurenic acid concentrations (68) 136
- Beasley, L., see Prince, J.T. (68) 193
- Boilly, B., see Hondermarck, H. (68) 247
- Calés, J.M., see Valencia, A. (68) 132
- Capuano, C.A., Leibowitz, S.F. and Barr, G.A.
The pharmacology of the paraventricular α_2 -noradrenergic receptor system mediating norepinephrine-induced feeding in the rat (68) 67
- Carlson, C.G.
Early postnatal changes in presynaptic potassium sensitivity (68) 183
- Chronopoulos, A., see Thurber, S. (68) 35
- Clark, P., Jones, K.J. and LaVelle, A.
Alterations in nuclear envelope invaginations in axotomized fetal and early postnatal hamster facial motoneurons (68) 1
- Collado, P., see Valencia, A. (68) 132
- Crespo, D., see González-Martín, C. (68) 83
- De Diego, I., see González-Martín, C. (68) 83
- Deudon, E., see Hondermarck, H. (68) 247
- Duchemin, A.-M., see Quach, T.T. (68) 97
- Fairén, A., see González-Martín, C. (68) 83
- Farah Jr, J.M., see Bardgett, M.E. (68) 289
- Garant, D.S., see Xu, S.G. (68) 275
- Gazzara, R.A., see Andersen, S.L. (68) 286
- Go, M.J., Yoshihara, M. and Hotta, Y.
Monoclonal antibodies which stain small subsets of neurons in the *Drosophila* central nervous system (68) 282
- Goldman, S.A. and Nedergaard, M.
Newly generated neurons of the adult songbird brain become functionally active in long-term culture (68) 217
- González-Martín, C., De Diego, I., Crespo, D. and Fairén, A.
Transient *c-fos* expression accompanies naturally occurring cell death in the developing interhemispheric cortex of the rat (68) 83
- Grant, S.G.N., see Martin, K.A. (68) 75
- Guillamón, A., see Valencia, A. (68) 132
- Haas, K.Z., Sperber, E.F. and Moshé, S.L.
Kindling in developing animals: interactions between ipsilateral foci (68) 140
- Healy, P.A., see Prince, J.T. (68) 193
- Hockfield, S., see Martin, K.A. (68) 75
- Holmes, G.L., see Thurber, S. (68) 35
- Hondermarck, H., Deudon, E. and Boilly, B.
Embryonic brain-derived heparan sulfate inhibits cellular membrane binding and biological activity of basic fibroblast growth factor (68) 247
- Hotta, Y., see Go, M.J. (68) 282
- Huether, G., Thömke, F. and Adler, L.
Administration of tryptophan-enriched diets to pregnant rats retards the development of the serotonergic system in their offspring (68) 175
- Isacson, O., see Beal, M.F. (68) 136
- Jones, K.J., see Clark, P. (68) 1
- Kaneko, Y., see Negishi, K. (68) 255
- Katay, L., see Vathy, I. (68) 125
- Kent, C. and Rowe, H.L.
The immunolocalisation of ubiquitin carboxyl-terminal hydrolase (PGP9.5) in developing paraneurons in the rat (68) 241
- Klein, D.C., see Weller, J.L. (68) 144
- Kondo, H., see Aizawa, T. (68) 265
- Kordower, J.H., Picinski, P. and Rakic, P.
Neurogenesis of the amygdaloid nuclear complex in the Rhesus monkey (68) 9
- Kott, J.N., see Sasahara, A. (68) 41
- Lanier, R.A., see Shaw, C. (68) 225
- Lappi, S.E., see Slotkin, T.A. (68) 233
- LaVelle, A., see Clark, P. (68) 1
- Leibowitz, S.F., see Capuano, C.A. (68) 67
- Lichtensteiger, W., see Naeff, B. (68) 163
- Lübke, J., see Albus, K. (68) 278
- Martin, G.F., see Wang, X.M. (68) 203
- Martin, K.A., Grant, S.G.N. and Hockfield, S.
The *mas* proto-oncogene is developmentally regulated in the rat central nervous system (68) 75
- Maruyama, K., see Aizawa, T. (68) 265
- McCook, E.C., see Slotkin, T.A. (68) 233
- Moshé, S.L., see Haas, K.Z. (68) 140
- Moshé, S.L., see Xu, S.G. (68) 275
- Müller, H.W., see Stichel, C.C. (68) 149
- Naeff, B., Schlumpf, M. and Lichtensteiger, W.
Pre- and postnatal development of high-affinity [3 H]nicotine binding sites in rat brain regions: an autoradiographic study (68) 163
- Nedergaard, M., see Goldman, S.A. (68) 217
- Negishi, K., Shinagawa, S., Ushijima, M., Kaneko, Y. and Saito, T.
An immunohistochemical study of regenerating newt retinas (68) 255
- Nishiyama, A., see Prince, J.T. (68) 193
- Oliver, A.P., see Quach, T.T. (68) 97
- Pérez Laso, C., see Valencia, A. (68) 132
- Picinski, P., see Kordower, J.H. (68) 9
- Plenderleith, M.B., Wright, L.L. and Snow, P.J.
Expression of lectin binding in the superficial dorsal horn of the rat spinal cord during pre- and postnatal development (68) 103
- Prince, J.T., Nishiyama, A., Healy, P.A., Beasley, L. and Stallcup, W.B.
Expression of the F84.1 glycoprotein in the spinal cord and cranial nerves of the developing rat (68) 193
- Qin, Y.Q., see Wang, X.M. (68) 203
- Quach, T.T., Duchemin, A.-M., Oliver, A.P., Schrier, B.K. and Wyatt, R.J.
Hydra head activator peptide has trophic activity for eukaryotic neurons (68) 97
- Raines, E.W., see Sasahara, A. (68) 41
- Rakic, P., see Kordower, J.H. (68) 9
- Riederer, B.M. and Barakat-Walter, I.
Differential distribution of two microtubule-associated proteins, MAP2 and MAP5, during chick dorsal root ganglion development in situ and in culture (68) 111
- Robinson, S.R., see Andersen, S.L. (68) 286
- Rodríguez Zafra, M., see Valencia, A. (68) 132
- Ross, R., see Sasahara, A. (68) 41
- Rowe, H.L., see Kent, C. (68) 241
- Saito, T., see Negishi, K. (68) 255
- Sasahara, A., Kott, J.N., Sasahara, M., Raines, E.W., Ross, R. and Westrum, L.E.
Platelet-derived growth factor B-chain-like immunoreactivity in the developing and adult rat brain (68) 41
- Sasahara, M., see Sasahara, A. (68) 41
- Schlumpf, M., see Naeff, B. (68) 163
- Schrier, B.K., see Quach, T.T. (68) 97

- Segovia, S., see Valencia, A. (68) 132
- Seidler, F.J., see Slotkin, T.A. (68) 233
- Shaw, C. and Lanius, R.A.
Cortical AMPA receptors: age-dependent regulation by cellular depolarization and agonist stimulation (68) 225
- Shinagawa, S., see Negishi, K. (68) 255
- Sickles, A.E., Stehouwer, D.J. and Van Hartesveldt, C.
Dopamine D₁ and D₂ antagonists block L-DOPA-elicited air-stepping in neonatal rats (68) 17
- Slotkin, T.A., McCook, E.C., Lappi, S.E. and Seidler, F.J.
Altered development of basal and forskolin-stimulated adenylate cyclase activity in brain regions of rats exposed to nicotine prenatally (68) 233
- Smotherman, W.P., see Andersen, S.L. (68) 286
- Snow, P.J., see Plenderleith, M.B. (68) 103
- Sperber, E.F., see Haas, K.Z. (68) 140
- Sperber, E.F., see Xu, S.G. (68) 275
- Stafstrom, C.E., see Thurber, S. (68) 35
- Stallcup, W.B., see Prince, J.T. (68) 193
- Stehouwer, D.J., see Sickles, A.E. (68) 17
- Stichel, C.C. and Müller, H.W.
Expression of inherent neuronal shape characteristics after transient sensitivity to epigenetic factors (68) 149
- Swartz, K.J., see Beal, M.F. (68) 136
- Taylor, G.T., see Bardgett, M.E. (68) 289
- Thömke, F., see Huether, G. (68) 175
- Thurber, S., Chronopoulos, A., Stafstrom, C.E. and Holmes, G.L.
Behavioral effects of continuous hippocampal stimulation in the developing rat (68) 35
- Ushijima, M., see Negishi, K. (68) 255
- Valencia, A., Collado, P., Calés, J.M., Segovia, S., Pérez Laso, C., Rodríguez Zafra, M. and Guillaumon, A.
Postnatal administration of dihydrotestosterone to the male rat abolishes sexual dimorphism in the accessory olfactory bulb: a volumetric study (68) 132
- Van Hartesveldt, C., see Sickles, A.E. (68) 17
- Vathy, I. and Katay, L.
Effects of prenatal morphine on adult sexual behavior and brain catecholamines in rats (68) 125
- Wang, X.M., Xu, X.M., Qin, Y.Q. and Martin, G.F.
The origins of supraspinal projections to the cervical and lumbar spinal cord at different stages of development in the gray short-tailed Brazilian opossum, *Monodelphis domestica* (68) 203
- Weller, J.L. and Klein, D.C.
The pineal adrenergic → cyclic GMP response develops two weeks after the adrenergic → cyclic AMP response (68) 144
- Westrum, L.E., see Sasahara, A. (68) 41
- Wright, L.L., see Plenderleith, M.B. (68) 103
- Wyatt, R.J., see Quach, T.T. (68) 97
- Xu, S.G., Garant, D.S., Sperber, E.F. and Moshé, S.L.
The proconvulsant effect of nigral infusions of THIP on flurothyl-induced seizures in rat pups (68) 275
- Xu, X.M., see Wang, X.M. (68) 203
- Yeh, H.H., see Zhang, D. (68) 55
- Yip, J.W. and Yip, Y.P.L.
Laminin – developmental expression and role in axonal outgrowth in the peripheral nervous system of the chick (68) 23
- Yip, Y.P.L., see Yip, J.W. (68) 23
- Yoshihara, M., see Go, M.J. (68) 282
- Yoshikawa, K., see Aizawa, T. (68) 265
- Zhang, D. and Yeh, H.H.
Substance-P-like immunoreactive amacrine cells in the adult and the developing rat retina (68) 55